


Part Number	ADP250A624J	Revision	
Customer P/N		Revision	
Capacitance	0.62	uF.	Tolerance 5%
Voltage	250	VAC	
Dielectric	Metallized Polypropylene		
Terminal Type	Single .187" X .02" Quick Connect Terminals		
Operating Temperature	-25	85 °C.	
Dissipation Factor	0.001	maximum	@ 60 Hz.

# MOTOR Capacitors, Inc.

Motor Capacitors, Inc.  
335 Beinoris Drive  
Wood Dale, Illinois 60191  
773-774-6666 (Phone) | 773-774-6690 (Fax)  
[www.capacitorindustries.com](http://www.capacitorindustries.com)  
[info@capacitorindustries.com](mailto:info@capacitorindustries.com)


	Dimension	Tolerance
Width (W)	1.28	0.03
Thickness (T)	0.52	0.03
Height (H)	0.90	0.03
Total Thickness (Tt)	0.88	0.03
Mounting Hole	0.17	0.01

*Dimensions in inches*



Stamping

ADP  
0.62 uF 5% 250 VAC  
-25 - +85 C.  
50 - 60 Hz.  
Motor Cap



RU, cRU, RoHS

UL Approved Capacitor



Approval: J.D. Aldana  
Date: August 4, 2006