


Part Number	ADP250F106J		Revision
Customer P/N			Revision
Capacitance	10	uF.	Tolerance 5%
Voltage	250	VAC	
Dielectric	Metallized Polypropylene		
Terminal Type	Dual .250" X .03" Quick Connect Terminals		
Operating Temperature	-25	85	°C.
Dissipation Factor	0.001	maximum	@ 60 Hz.

# MOTOR Capacitors, Inc.


Motor Capacitors, Inc.  
 335 Beinoris Drive  
 Wood Dale, Illinois 60191  
 773-774-6666 (Phone) | 773-774-6690 (Fax)  
[www.capacitorindustries.com](http://www.capacitorindustries.com)  
[info@capacitorindustries.com](mailto:info@capacitorindustries.com)

	Dimension	Tolerance
Width (W)	2.05	0.03
Thickness (T)	0.87	0.03
Height (H)	1.38	0.03
Total Thickness (Tt)	1.27	0.06
Mounting Hole	0.18	ref.

*Dimensions in inches*



UL Approved Capacitor

	Stamping
	ADP
	10 uF 5% 250 VAC
	-25 - +85 C.
	50 - 60 Hz.
	Motor Cap
	RU, cRU RoHs



Approval: J.D. Aldana  
 Date: September 13, 2000