

Part Number	ADP250N105J		Revision
Customer P/N	K11224-0006		Revision
Capacitance	1	uF.	Tolerance 5%
Voltage	250	VAC	
Dielectric	Metallized Polypropylene		
Terminal Type	Insulated Wire Leads		
Operating Temperature	-25	85 °C.	
Dissipation Factor	0.001	maximum	@ 60 Hz.

MOTOR Capacitors, Inc.



Motor Capacitors, Inc.
 335 Beinoris Drive
 Wood Dale, Illinois 60191
 773-774-6666 (Phone) | 773-774-6690 (Fax)
www.capacitorindustries.com
info@capacitorindustries.com

	Dimension	Tolerance
Width (W)	1.28	0.03
Thickness (T)	0.51	0.03
Height (H)	0.88	0.03
Total Thickness (Tt)	0.91	0.06
Wire Length (G)	6.00	min
Wire Gauge (Gw)	18/20	AWG
Wire Color (Cw)	Black	
Mounting Tab Thickness (Mt)		

Dimensions in inches

Stamping

ADP
1 uF 5% 250 VAC
-25 - +85 C.
50 - 60 Hz.
Motor Cap
K11224-0006
RU, cRU RoHs

UL Recognized Component

Approval: J.D. Aldana
 Date: August 4, 2006

