

Part Number	<b>ADP250Z405J-M1</b>	Revision	A
Customer P/N	<b>4913002000</b>	Revision	<b>A</b>
Capacitance	<b>4</b> uF.	Tolerance	<b>5%</b>
Voltage	<b>250</b> VAC		
Dielectric	<b>Metallized Polypropylene</b>		
Terminal Type	<b>Insulated Wire Leads</b>		
Operating Temperature	<b>-25</b> to <b>85</b> °C.		
Dissipation Factor	<b>0.001</b>	maximum	@ 60 Hz.


# MOTOR Capacitors, Inc.

**Motor Capacitors, Inc.**  
 335 Beinoris Drive  
 Wood Dale, Illinois 60191  
 773-774-6666 (Phone) | 773-774-6690 (Fax)  
[www.capacitorindustries.com](http://www.capacitorindustries.com)  
[info@capacitorindustries.com](mailto:info@capacitorindustries.com)

	Dimension	Tolerance
Width (W)	<b>1.48</b>	<b>0.03</b>
Thickness (T)	<b>0.61</b>	<b>0.03</b>
Height (H)	<b>1.02</b>	<b>0.03</b>
Total Thickness (Tt)	<b>0.98</b>	<b>0.06</b>
Wire Length (G)	<b>10.00</b>	<b>min.</b>
Wire Gauge (Gw)	<b>22</b>	<b>AWG</b>
Wire Color (Cw)	<b>Brown</b>	
Mountng Tab Thickness (Mt)	<b>0.15</b>	<b>0.06</b>

*Dimensions in inches*

Stamping	<b>ADP</b>
	<b>4 uF 5% 250 VAC</b>
	<b>-25 - +85 C.</b>
	<b>50 - 60 Hz.</b>
	<b>Motor Cap</b>
	<b>04913002000</b>
	<b>RU, cRU RoHs</b>



UL Recognized Component

Approval: J.D. Aldana  
 Date: March 15, 2007

**Leadwire: 22 AWG, 105 C., 600 V., Color: Brown., Stranded Wire**  
**Wire Length: 10"-12", Strip Leads 0.38"**