


Part Number	ADP370E605JL	Revision	
Customer P/N	TBD	Revision	
Capacitance	6	uF.	Tolerance 5%
Voltage	370	VAC	
Dielectric	Metallized Polypropylene		
Terminal Type	Single .250" X .03" Quick Connect Terminals		
Operating Temperature	-25	85 °C.	
Dissipation Factor	0.001	maximum	@ 60 Hz.
Insulation Resistance	167	MegOhms	minimum


MOTOR Capacitors, Inc.

Motor Capacitors, Inc.
 335 Beinoris Drive
 Wood Dale, Illinois 60191
 773-774-6666 (Phone) | 773-774-6690 (Fax)
www.capacitorindustries.com
info@capacitorindustries.com

	Dimension	Tolerance
Width (W)	1.88	0.03
Thickness (T)	0.72	0.03
Height (H)	1.22	0.03
Bracket Height (Hb)	0.55	0.02
Total Thickness (Tt)	0.82	0.03
Bracket Width (Wb)	0.47	±0.005

Dimensions in inches



	Stamping
	Logo/ADP
	6 uF 5% 370 VAC
	-25 - +85 C.
	50 - 60 Hz.
	Motor Cap
	CBB61
	RU, cRU RoHs Date Code

Bracket Mounting Hole to be 0.150" Round - not Slotted.
 Terminals to be oriented along "T" dimension.

Engineer J.D. Aldana
 Date 5/30/2013