

Part Number	<b>ADP370M106J-M2</b>		Revision
Customer P/N	<b>195-108-0400</b>		Revision
Capacitance	<b>10</b>	uF.	Tolerance <b>5%</b>
Voltage	<b>370</b>	VAC	
Dielectric	<b>Metallized Polypropylene</b>		
Terminal Type	<b>Insulated Wire Leads</b>		
Operating Temperature	<b>-40</b>	<b>85 °C.</b>	
Dissipation Factor	<b>0.001</b>	maximum	@ 60 Hz.


# MOTOR Capacitors, Inc.

Motor Capacitors, Inc.  
 335 Beinoris Drive  
 Wood Dale, Illinois 60191  
 773-774-6666 (Phone) | 773-774-6690 (Fax)  
[www.capacitorindustries.com](http://www.capacitorindustries.com)  
[info@capacitorindustries.com](mailto:info@capacitorindustries.com)

	Dimension	Tolerance
Width (W)	<b>1.85</b>	<b>0.03</b>
Thickness (T)	<b>0.98</b>	<b>0.03</b>
Height (H)	<b>1.41</b>	<b>0.03</b>
Total Thickness (Tt)	<b>1.40</b>	<b>0.06</b>
Wire Length (G)	<b>4.50</b>	<b>0.50</b>
Wire Gauge (Gw)	<b>20</b>	<b>AWG</b>
Wire Color (Cw)	<b>Black</b>	
Mountng Tab Thickness (Mt)	<b>0.20</b>	<b>0.04</b>

*Dimensions in inches*

Stamping	<p><b>Logo/ADP</b>  <b>10 uF 5% 370 VAC</b>  <b>-40 - +85 C.</b>  <b>50 - 60 Hz.</b>  <b>Motor Cap CBB61</b>  <b>195-108-0400</b>  <b>RU cRU RoHs Date Code</b></p>
----------	---



UL Recognized Component

Approval: J.D. Aldana  
 Date: June 10, 2011

