

Part Number	ADP370M605J		Revision	A
Customer P/N	C-2846		Revision	A
Capacitance	6	uF.	Tolerance	5%
Voltage	370	VAC		
Dielectric	Metallized Polypropylene			
Terminal Type	Insulated Wire Leads			
Operating Temperature	-25	85 °C.		
Dissipation Factor	0.001	maximum	@ 60 Hz.	

MOTOR Capacitors, Inc.


Motor Capacitors, Inc.
 335 Beinoris Drive
 Wood Dale, Illinois 60191
 773-774-6666 (Phone) | 773-774-6690 (Fax)
www.capacitorindustries.com
info@capacitorindustries.com

	Dimension	Tolerance
Width (W)	1.88	0.03
Thickness (T)	0.75	0.03
Height (H)	1.22	0.03
Total Thickness (Tt)	1.20	0.06
Wire Length (G)	4.00	0.50
Wire Gauge (Gw)	18	AWG
Wire Color (Cw)	Black	
Mounting Tab Thickness (Mt)	0.15	0.02

Dimensions in inches

Stamping

Logo/ADP
 6 uF 5% 370 VAC
 -25 - +85 C.
 50 - 60 Hz.
 Motor Cap
 CBB61 RoHS
 RU cRU



UL Recognized Component

Approval: J.D. Aldana
 Date: September 17, 2010

