

| | | |
|-----------------------|--------------------------------------|--------------------------|
| Part Number | ADP370N755J | Revision |
| Customer P/N | 6100-6062 (2) / 6100-9184 (0) | Revision |
| Capacitance | 7.5 | uF. Tolerance 10% |
| Voltage | 370 | VAC |
| Dielectric | Metallized Polypropylene | |
| Terminal Type | Insulated Wire Leads | |
| Operating Temperature | -25 | 85 °C. |
| Dissipation Factor | 0.001 | maximum @ 60 Hz. |

MOTOR Capacitors, Inc.



Motor Capacitors, Inc.
 335 Beinoris Drive
 Wood Dale, Illinois 60191
 773-774-6666 (Phone) | 773-774-6690 (Fax)
www.capacitorindustries.com
info@capacitorindustries.com

| | Dimension | Tolerance |
|----------------------------|--------------|-------------|
| Width (W) | 2.05 | 0.04 |
| Thickness (T) | 0.87 | 0.01 |
| Height (H) | 1.40 | 0.04 |
| Total Thickness (Tt) | 1.28 | 0.04 |
| Wire Length (G) | 6.38 | 0.38 |
| Wire Gauge (Gw) | 18/20 | AWG |
| Wire Color (Cw) | Black | |
| Mountng Tab Thickness (Mt) | 0.15 | 0.02 |

Dimensions in inches

Stamping

ADP
7.5 uF 10% 370 VAC
-25 - +85 C.
50 - 60 Hz.
Motor Cap
6100-6062 6100-9184
RU, cRU, RoHS

UL Recognized Component

Approval: J.D. Aldana
 Date: January 12, 2007

