


Part Number	ADP440E624JL		Revision
Customer P/N	A-24817-B		Revision
Capacitance	0.62	uF.	Tolerance 5%
Voltage	440	VAC	
Dielectric	Metallized Polypropylene		
Terminal Type	Single .250" X .03" Quick Connect Terminals		
Operating Temperature	-25	85 °C.	
Dissipation Factor	0.001	maximum @ 60 Hz.	
Insulation Resistance	1613	MegOhms minimum	

# MOTOR Capacitors, Inc.

Motor Capacitors, Inc.  
 335 Beinoris Drive  
 Wood Dale, Illinois 60191  
 773-774-6666 (Phone) | 773-774-6690 (Fax)  
[www.capacitorindustries.com](http://www.capacitorindustries.com)  
[info@capacitorindustries.com](mailto:info@capacitorindustries.com)


	Dimension	Tolerance
Width (W)	1.22	0.03
Thickness (T)	0.44	0.03
Height (H)	0.84	0.03
Bracket Height (Hb)	0.50	0.03
Bracket Spacing (Z)	0.38	0.03
Bracket Width (Wb)	0.47	±0.01

*Dimensions in inches*



**Stamping**

ADP440E624JL  
 0.62 uF 5% 440VAC  
 -25 - +85 C.  
 50 - 60 Hz.  
 RGD - Motor Cap  
 A-24817-B  
 YU, cYU, RoHS



**Bracket Mounting Hole to be 0.222" Round - not Slotted**  
**Terminals to be oriented along the "T" dimension**

Approval: J. D. Aldana  
 Date August 4, 2016