


Part Number	<b>CBB65-370R456-M4</b>	Revision	<b>A</b>
Customer P/N	<b>18-1902-57 / HC150403 / 9181009-18</b>	Revision	
Capacitance	<b>45</b>	uF.	Tolerance <b>5.0%</b>
Voltage	<b>370</b>	VAC	
Dielectric	<b>Metallized Polypropylene</b>		
Terminal Type	<b>.250" Quad-Spade Quick Connect Terminals</b>		
Operating Temperature	<b>-25 °C.-</b>	<b>70 °C.</b>	
Dissipation Factor	<b>0.001</b>	maximum	@ 60 Hz.

# MOTOR Capacitors, Inc.

Motor Capacitors, Inc.  
 335 Beinoris Drive  
 Wood Dale, Illinois 60191  
 773-774-6666 (Phone) | 773-774-6690 (Fax)  
[www.capacitorindustries.com](http://www.capacitorindustries.com)  
[info@capacitorindustries.com](mailto:info@capacitorindustries.com)

	Dimension	Tolerance
Diameter (D) Case/Cover	<b>1.97/2.06</b>	<b>0.03</b>
Case Height (H)	<b>3.75</b>	<b>0.06</b>
Terminal Height (K)	<b>0.50</b>	ref.
Terminal-Terminal (M)	<b>0.81</b>	ref.
Insulating Cup (dia.)	<b>0.74</b>	

*Dimensions in inches*



Stamping

**Wuxi - Motor Cap**  
**CBB65-370R456-M4**  
**45uF 5% 370 VAC**  
**-25 - +70 C. 50/60 Hz.**  
**18-1902-57 / HC150403 / 9181009-18**

Protected 10,000 AFC CE VDE cRU<sup>®</sup>US  
 Non PCB RU cRU Date Code RoHS

Capacitor must be stamped with Customer's P/N Bar Code

Approval : J.D. Aldana  
 Date : January 20, 2017