

| | | | |
|-----------------------|--------------------------|----------|----------|
| Part Number | RPC0N605 | Revision | A |
| Customer P/N | | Revision | A |
| Capacitance | 6 | uF. | |
| Voltage | 250 | VAC | |
| Dielectric | Metallized Polypropylene | | |
| Terminal Type | Insulated Wire Leads | | |
| Operating Temperature | -25 | 85 | °C. |
| Dissipation Factor | 0.0015 | maximum | @ 60 Hz. |

MOTOR
Capacitors, Inc.




Motor Capacitors, Inc.
335 Beinoris Drive
Wood Dale, Illinois 60191
773-774-6666 (Phone) | 773-774-6690 (Fax)
www.capacitorindustries.com
info@capacitorindustries.com

| | Dimension | Tolerance |
|-----------------|-----------|-----------|
| Diameter (D) | 1.10 | 0.03 |
| Height (H) | 2.20 | 0.03 |
| Wire Length (G) | 5.50 | Min. |
| Wire Gauge (Gw) | 18 | AWG |
| Wire Color (Cw) | Black | |

Dimensions in inches

| | |
|----------|-----------------------|
| Stamping | Logo / Italfarad |
| | RP-0 SH S0 |
| | 6.0 uF. +/-5% 250 VAC |
| | 25/085/21 50/60 Hz |
| | RU, cRU, VDE, CE |
| | Datecode |
| | |



(NO Mounting Stud)

Engineer J.D. Aldana
Date March 17, 2016